

# Krete Control 290

Krete Control 290 is a reactive, swipe producing admixture designed to offer plasticizing action and superior control of both primary and secondary efflorescence in semi dry concrete products.

### FEATURES

- 100% Active-Reactive Chemistry
- Provides Plasticizing Action
- Efflorescence Control

### BENEFITS

- Low Dosage vs. Traditional Admixture
- Improves Batch Consistency
- Decreases Machine Feed Time
- Improves Green Strength
- Improves Surface Texture
- Produces Swipe
- Improves Aesthetic Appearance of CMUs
- Promotes and Maintains Brighter Colours

### TECHNICAL INFORMATION

Parameter	Typical Value
Appearance	Clear Yellow to Amber Liquid
Specific Gravity	0.900
Solids, %	Not Established
IR	Pass

### DIRECTIONS FOR USE

1. Use at dosage rate of 250 - 500ml per 100kg of cementitious material.
2. Add after the introduction of the pre-wet aggregates.
3. Mix for 90 seconds after addition of admixture.
4. Check the moisture content of the mix and add additional water if possible.

### PRODUCT PACKAGING

Available in 1000 litre IBCs, 210 litre drums and 25 litre jerry cans. Samples are available by request.

### PRODUCT STORAGE AND SHELF LIFE

Store in dry area. Keep containers tightly closed. Do not store in excessively high temperatures (>35 C°). KEEP FROM FREEZING. Avoid physical damage to containers.

Krete Control 290 has a rheological shelf life of eight (8) months in original, unopened packaging.

*The information presented above is true and accurate to the best of our knowledge. No warranty or guarantee, expressed or implied is made regarding the performance of the product. This information is not intended to be all-inclusive concerning handling, storage and use of the product. Health and other regulatory factors are the responsibility of the customer.*

PDS - Control 290 - 01/2016

*For Industrial Use Only.  
Not for internal consumption.  
Consult SDS for safety and regulatory information.*



# Krete Control 290

Krete Control 290 is a reactive, swipe producing admixture designed to offer superior control of both primary and secondary efflorescence in wetcast concrete products.

### FEATURES

- 100% Active-Reactive Chemistry
- Provides Plasticizing Action

### BENEFITS

- Low Dosage vs. Traditional Admixture
- Improves Aesthetic Appearance of CMUs
- Promotes and Maintains Brighter Colours

### TECHNICAL INFORMATION

Parameter	Typical Value
Appearance	Clear Yellow to Amber Liquid
Specific Gravity	0.900
Solids, %	Not Established
IR	Pass

### DIRECTIONS FOR USE

1. Use at dosage rate of 250 - 500ml per 100kg of cementitious material.
2. Add after the introduction of the pre-wet aggregates.
3. Mix for 90 seconds after addition of admixture.
4. Check the moisture content of the mix and add additional water if possible.

### PRODUCT PACKAGING

Available in 1000 litre IBCs, 210 litre drums and 25 litre jerry cans. Samples are available by request.

### PRODUCT STORAGE AND SHELF LIFE

Store in dry area. Keep containers tightly closed. Do not store in excessively high temperatures (>35 C°). KEEP FROM FREEZING. Avoid physical damage to containers.

Krete Control 290 has a rheological shelf life of eight (8) months in original, unopened packaging.

*The information presented above is true and accurate to the best of our knowledge. No warranty or guarantee, expressed or implied is made regarding the performance of the product. This information is not intended to be all-inclusive concerning handling, storage and use of the product. Health and other regulatory factors are the responsibility of the customer.*

PDS - Control 290 - 01/2016

*For Industrial Use Only.  
Not for internal consumption.  
Consult SDS for safety and regulatory information.*

